

## CERTIFICATE OF ANALYSIS

Name of Product	: Calcium D-Glucarate
Lot Number	: 821221
Specification No	: 0679
Best-if-used-by	: 12/23
Checking of raw material analysis certificates	: Conforms
Presentation	: Bottle of Capsules

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsule	Positive
2- Identification	Positive	Positive
3-No. of caps/bottle	90	Conforms
4- Weight of capsule	850 mg. + - 5%	851 mg (average)
5-Empty capsule	'00' Veggie	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of	Less than 15 minutes	Less than 15 minutes
Disintegration: in		
Simulated gastric		
Fluids USP <2040>		

  
 \_\_\_\_\_  
 Signature of Analyst

2/14/2022  
 \_\_\_\_\_  
 Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.